



DESCRIPTION:

7KH SURGXFWV DUH SLQ RSWLFDQ QHOD\ 7KH GHYLFH F
\$O*D\$V LQIUUDHG HQ\$XWV\QVDGHRGSHWLFDOO\ FRXSOHG WR D
KLJK YROWDJH RXWLSXWLQGHV B DV RWLFL 0 23 SDFNDJH
7KH GHWHFWRU FRQVLVWV RI D KLJK VSHHG SKRWRYROWDL
DQG GULYHU FLUFXLWUH ZLGH SURGXFWLQ PHDVXULQJ
DQG WHVWLQJ HTXLSHQD\VVWHBXSULWHHQGLRQ PDUNHW
LQGXVWULDO PDFKLQHU\ DQG HTXLSPHQW

MAIN FEATURES

+LJK LVROD WLRQV
/2: & /2: 5
2SHUDWLQJ WHPSHQJHWXJ& WR f &
5(\$&+ 5R+6 FRPSOLDQFH
+%0 + \$ 00 0 &'0 &
&4& DSSURYHG
9'(DSSURYHG
8/ DSSURYHG



NOTE1 iii... • %o μi0;(OE <μ v Ç


NOTE2 (}OE iu]vμš U ZX,XAđi•òì9

ELECTRICAL CHARACTERISTICS 7HP SHUDWXUH f &

,QSXW)RUZDUG 9ROWDJH) 9 P\$					9
	5HYHUVH &XUUHQW	5, 9		9			\$
	\$FWLRQ &XUUHQW	/, 0\$;		,			
	5HVHW &XUUHQW	/, 0\$;		,			P\$
2XWSXW	2Q 5HVLVWDQJ) P\$, 0D[:LWKLQ V RQ WLPH					
	2II 6WDWH /HDNDJH &XUUHQW) P\$ 9, 0D[\$
	2II 6WDWH &DSDFLWDQFH) ,P\$					S)
6ZLWFKLQ &KDUDFW	,VRODWLRQ 5HVLVWDQFH	5,62 '& 9 a 5+					
)ORDWLQJ &DSDFLWDQFH	&,2 9 I 0+]					S)
	HULVWLFV 7XUQ 2Q 7LPH	WQ) P\$ /, 0D[V
	7XUQ 2II 7LPH	WII) P\$ /, 0D[PV




ORDERING INFORMATION




Packing Quantity	
Option	Quantity
E } v I Z	ï ï ï ï h v] š • I Z o

MARKING






7XUQ 2Q 7LPH YV \$PELHQW 7HPSHTUDWXUH 7LPH YV \$PELHQW
7HPSHTUDWXUH






CARRIER TAPE SPECIFICATIONS (Dimensions in mm unless otherwise stated)




5 HI	'LPHQVLRQV					
	0LOOLPHWHUV ,QFKHV					
	0LQ	7\S	0D[0LQ	7\S	0D[
'						
3						
3						
3						
(
)						
7						
:						





REFLOW INFORMATION



7HP SHUDWXUH 0LQ	7VPLQ	
7HP SHUDWXUH 0D[7VPD[
7LPH WV IURP 7VPLQ WR 7VPD[VHFRQGV
5DPS XS 5DWH W/ WR W		VHFRQGV
/LTXLGXV 7HP SHUDWXUH 7/		
7LPH W/ 0DLQWDLQH \$ERYH 7/		VHFRQGV
3HDN %RG\ 3DFNDJH	7HP SHUDWXUH	
7LPH W3 ZLWKLQ		VHFRQGV
5DPS GRZQ 5DWH 73 WR W		VHFRQGV
7LPH WR 3HDN 7HP SHUDWXUH		PLQXW HV PD[



1RWH

5HIORZ VROGHULQJ LV UHFRPPHQGHG/ DWKRVZQH QVHP\$UUDWIKDQ WBO
\$YRLG GLUHFW FRQVWDIFSRPDKPZDQ QWXRUDFRU H[FHHGLQJ LWV PD